



Manual Wheelchairs



Yes, you can!



For over 25 years, Invacare has set the standard in manual wheelchairs for the HME industry. That same tradition continues today as we constantly work to improve designs while maintaining the important characteristics that our customers have come to trust in our wheelchairs: durability, interchangeability, and value. While many others have and will continue to try and emulate our industry leading standard for quality and product development, Invacare wheelchairs still consistently lead the market.

- Durable, low-maintenance designs that meet the RESNA standards for manual wheelchair performance.
- A wide variety of ready-to-ship models in various configurations for quick delivery around the country.
- The ability to custom configure most of our wheelchairs to meet exact consumer needs.
- A full assortment of bariatric manual wheelchair solutions. In addition to our cornerstone products like the Tracer® IV and 9000 XDT wheelchairs, we have also introduced a bariatric transport chair and added a new 1,000 lb. weight capacity option on the 9000 Topaz™ chair.

In all, Invacare continues to be committed to meeting both the needs of our customers and consumers worldwide with our standard wheelchair products.



**Bariatric/
Heavy-Duty
Designation**

Invacare products with the Bariatric/Heavy-Duty icon are designed for your bariatric patients whose height and weight require the use of a heavy-duty model. These products provide the same quality that all Invacare products possess. They also demonstrate our commitment to this product category.

Table of Contents

Tracer® EX2	3
Transport	4
Transport Lightweight Aluminum	5
Transport Heavy-Duty	6
Tracer® SX5	7
Tracer® SX5 Full Recliner	8
9000 SL	9
9000 XT	10
9000 XT Full Recliner	11
Tracer® IV	12
9000 XDT	13
9000 Topaz™	14
Invacare® 900 Series	15
Invacare® 900 Bariatric Recliner	16
9000 Jymni™	17
9000 Jymni™ Recliner	18
Ramps and CLD	19
Accessories	20–21
Dimensions Chart	22–23
Color Guide	24

Features

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Dual axle positions allow variation of seat-to-floor heights
- Offset permanent arms available in 16", 18" and 20" widths
- 14-gauge crossbraces add strength and durability
- Urethane rear tires mounted on "no flex" wheels offer superior performance
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Upholstery is dual-embossed



Tracer offset permanent arms allow for full seat width between arms.

The Invacare IVC Tracer EX2 wheelchair sets the new standard in manual wheelchairs. The Tracer EX2 combines the design and technology of the Invacare 9000 series and incorporates it into the Invacare Tracer series. A true dual axle position allows for repositioning the 24" rear wheels and 8" casters for adult and hemi seat-to-floor heights. Offset permanent arms offer full seat width up to 20" with a permanent arm, hemi spaced footrest and full range of accessories. The EX2 design also makes it possible to interchange components with the 9000 series chairs.

Specifications

Seat sizes	
Widths	16", 18", 20"
Depth	16" standard
Seat-to-floor height	17.5", 19.5"
Back height	16" fixed
Front riggings	
Hemi swingaway footrest	17"-21" knee-to-heel
Hemi swingaway padded elevating legrest	17.5"-21" knee-to-heel
Articulating elevating legrest	17.5"-21" knee-to-heel
(Footplates available in aluminum or composite)	

Arm styles	
Permanent full-length, padded	
Full-length fixed or adjustable height, padded, removable	
Desk-length fixed or adjustable height, padded, removable	
(All arms are conventional)	
Weight capacity	250 lb.
Product weight (Trex2/WD86/28)	36 lb.
Limited warranty	5 years on frame and crossbraces

Features

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Fold-down back makes storage convenient
- Welded caster forks supply durability and long, maintenance-free life
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Padded armrests provide additional patient comfort



The Invacare IVC Transport chair is designed for safe and efficient patient transport. The Transport has the added advantage of sharing interchangeable parts with the other chairs in the Tracer series. The Transport is compact and lightweight.

Specifications

Seat sizes		Arm styles	
Widths	16", 18"	Permanent full-length, padded	
Depth	16"	(All arms are conventional)	
Seat-to-floor height	21"	Weight capacity	250 lb.
Back height	19" fold-down	Product weight (TRAN86)	27 lb. w/o riggings
Front riggings		Limited warranty	13 months
Swingaway footrest	17"-21" knee-to-heel		
Swingaway elevating legrest	17.5"-21" knee-to-heel		

Features

- Black nylon upholstery is flame retardant and bacteria resistant
- Full-length arms are padded for comfort
- Carry straps on seat allow for ease of folding and lifting
- Footrest painted to match frame finish
- Fold down back makes transport and storage easy
- Weighs 19 lb. (w/o riggings)



ALR19HBFR Lightweight Aluminum Transport Chair in Red.



Lightweight Aluminum Transport chair folded is compact for ease of transport and storage.

The Invacare Lightweight Aluminum Transport chairs are designed for safety and comfortable patient transport. The lightweight frames weigh only 19 lb. and incorporate a fold-down back, making these chairs easy to transport and store.



LTTB19FR, Lightweight Aluminum Transport chair in Blue.

Specifications

Model Numbers	ALR19HBFR ALB19HBFR	LTTTR19FR LTTB19FR
Chair Dimensions		
Seat width	19"	19"
Seat depth	17"	15.5"
Back height	17.5"	17.5"
Seat-to-floor height	19.25"	19.25"
Overall Dimensions		
Overall width	23.5"	23.5"
Overall depth w/o riggings	24.25"	24.25"
Overall height	37.5"	36.5"
Weight w/o riggings	19 lb.	19 lb.
Weight limitation	250 lb.	250 lb.
Limited warranty	13 months	13 months

Note: All specifications are approximate

Features

- 12" rear wheels with flat free tires
- Removable padded desk arms
- Carbon steel frame with dual crossbraces
- Swingaway footrest with aluminum footplates
- Flame retardant black nylon upholstery



The Invacare Heavy-Duty Transport chair is designed for those individuals requiring a transport chair that can support weight up to 400 lb. The Heavy-Duty Transport chair is available in a 22" seat width and

Specifications

Dimensions	
Seat width	22"
Seat depth	18"
Back height	20"
Seat-to-floor height	19.5"
Overall Dimensions	
Overall width open	28"
Overall depth w/o riggings	36.5"
Weight capacity	400 lb.
Limited warranty	13 months

Features

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Dual axle positions allow variation of seat-to-floor heights
- 14-gauge crossbraces add strength and durability
- Urethane rear tires mounted on “no flex” wheels offer superior performance
- Sectional back available in 16" and 18" back heights
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Meets RESNA standards for manual wheelchairs in product



The Invacare IVC Tracer SX5 lightweight frame weighs less than 36 pounds, which makes this chair perfect for rental and long- or short-term use. The Tracer SX5 now combines the design and technology of the 9000 series wheelchairs, making it possible to interchange components. The Tracer SX5 offers multiple seat widths, arm styles, sectional back and seat-to-floor heights by utilizing the dual axle position frame base.

The 20" and 22" widths include a semi-pneumatic caster and chrome handrim to accommodate a weight capacity of 300 lb.

Specifications

Seat sizes		Arm styles	
Widths	14", 16", 18", 20", 22"	Full-length fixed height, padded	
Depths	16"	Desk-length fixed height, padded	
Seat-to-floor heights	17.5", 19.5"	Full-length adjustable height, padded	
Back height	16", 18" sectional	Desk-length adjustable height, padded	
Front riggings		(All arms are flip back non-removable)	
Hemi swingaway footrest	17"-21" knee-to-heel	Weight capacity	250 lb. (300 lb. on 20" and 22" width)
Hemi swingaway padded elevating legrest	17.5"-21" knee-to-heel	Product weight (TRSX5/WD86/28FB)	34 lb.
Articulating elevating legrest	17"-25" knee-to-heel	Limited warranty	5 years on frame and crossbraces
(Footplates available in aluminum or composite)			

Features

- The Tracer SX5 Full Recliner offers a dynamic range of recline from 90° to 180°
- Durable, low-maintenance, triple chrome-plated, carbon steel frame
- Urethane rear tires, mounted on “no flex” wheels, offer superior performance
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Upholstery is dual-embossed
- Meets RESNA standards for



The Invacare IVC Tracer SX5 Recliner wheelchair offers the durability of a lightweight manual wheelchair frame with the added versatility and comfort of a full reclining back. The Tracer SX5 Recliner offers dynamic recline range from 90° to 180°. The Tracer SX5 Recliner offers a 300 lb. weight capacity on 20" and 22" widths. This chair also is available with multiple seat widths, armstyles, front

Specifications

Seat sizes	
Widths	14", 16", 18", 20", 22"
Depths	16"
Seat-to-floor height	17.5", 19.5"
Back height	34" recliner (24" high back,
	10" removable headrest)
Front riggings	
Hemi swingaway footrest	17"-20" knee-to-heel
Hemi swingaway padded elevating legrest	17.5"-21" knee-to-heel
Hemi articulating elevating legrest	17"-25" knee-to-heel

(Footplates available in aluminum or composite)

Arm styles	
	Full-length fixed height, padded, removable
	Desk-length fixed height, padded, removable
	Full-length adjustable height, padded, removable
	Desk-length adjustable height, padded, removable
(All arms are conventional)	
Weight capacity	250 lb. (300 lb. on 20" and 22" width)
Product weight (TRSX5/WD86/RC/28)	53 lb.
Limited warranty	5 years on frame and

Features

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Multiple frame color variations for customizing
- Dual axle positions allow variations of seat-to-floor heights
- Urethane rear tires mounted on “no flex” wheels offer superior performance
- Urethane casters for better ride and lighter weight
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Space-saver arms reduce overall frame width without limiting seat width
- Meets RESNA standards for



The Invacare IVC 9000 SL wheelchair is the perfect high strength lightweight rental product for those who want quality and durability at a moderate price. This low-maintenance wheelchair also has a full complement of options and accessories. Its contemporary design and high-performance frame make the 9000 SL a superior value.

Specifications

Seat sizes	
Widths	16", 18", 20"
Depths (optional)	16" standard, 18" by seat extension
Seat-to-floor heights	17.5", 19.5" 15.5", 16.5", 18.5" with different wheel and caster packages
Back heights - adjustable	15"-17" or 17"-19"
Front riggings	
Hemi swingaway footrest	17"-21" knee-to-heel
Hemi swingaway padded elevating legrest	17.5"-21" knee-to-heel
Articulating elevating legrest	17"-25" knee-to-heel
(Footplates available in aluminum or composite) (Extra large footplates are also available)	

Arm styles	
Full-length fixed height, padded, flip back, non-removable	
Desk-length fixed height, padded, flip back, non-removable	
Full-length adjustable height, padded, flip back, non-removable	
Desk-length adjustable height, padded, flip back, non-removable	
(All arm styles are space saver)	
Weight capacity	250 lb.
Product weight (9SL/WD86/88)	33 lb.
Limited warranty	lifetime on frame and crossbraces

Features

- Durable, low-maintenance, chrome-plated, carbon steel frame with aluminum crossbraces
- Multiple frame color variations for customizing
- Dual axle positions allow variation of seat-to-floor heights
- Offset axle position allows adjustment of center-of-gravity to increase maneuverability or stability to meet each user skill level
- Urethane rear tires mounted on “no flex” wheels offer superior performance
- Urethane casters for better ride and lighter weight
- Adjustable caster journal can be used with or without offset axle option. (Refer to service manual for a complete list of seat-to-floor heights and angles that are recommended only by the



The Invacare IVC 9000 XT wheelchair is a high performance, low maintenance and low total lifetime cost product. The 9000 XT is simply the most versatile lightweight wheelchair available and is the model of choice. This wheelchair boasts a vast offering of frame styles, seat-to-floor heights, back styles, widths, depths, frame colors and a wide range of options and accessories. The 9000 XT components are interchangeable with all other 9000 series and



The super-hemi (single-axle) seat-to-floor height is achieved with 22" rear wheels and 6" casters. A 13.5" seat-to-floor height is achieved with 20" rear wheels and 6" casters.

Specifications

Seat sizes	
Widths	14", 15", 16", 17", 18", 19", 20", 22" adult to hemi frame
Depths	14", 15", 16", 17", 18" super-hemi frame 16", 17" standard frame 17", 18" by seat extensions, adult to hemi frame 16", 17" super-hemi frame (different frame)
Seat-to-floor heights*	17.5", 18.5", 19.5" 15.5", 16.5" with different wheel and caster packages
Back heights (-5° to 20° adjustment)**	15" - 19" adjustable height adjustable angle available as option
Front riggings	
Hemi swingaway footrest	17"-21" knee-to-heel
Hemi swingaway padded elevating legrest	17.5"-21" knee-to-heel
Super-hemi swingaway footrest	11"-17" knee-to-heel
Super-hemi swingaway padded elevating legrest	11"-17" knee-to-heel

(Footplates available in aluminum or composite)	
Arm styles	
Full-length fixed height, padded, flip back, removable	
Desk-length fixed height, padded, flip back, removable	
Full-length adjustable height, padded, flip back, removable	
Desk-length adjustable height, padded, flip back, removable	
(All arm styles available conventional or space saver)	
Weight capacity	250 lb.
Product weight (9XT/WD86/88)	31 lb.



9000XT with offset axle and adjustable angle caster will allow additional seat-to-floor heights and increase seating and positioning capabilities. Offset axle offers center-of-gravity adjustment which increases maneuverability and stability.

Articulating elevating legrest 17"-25" knee-to-heel
 Invacare Customer Service (800) 333-6900 www.invacare.com

Features

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Dynamic recline range from 90° to 180°
- Rear axle base moves, providing stable center of gravity in recline position
- Multiple frame color variations for customizing
- Multiple wheel offerings allow variation of seat-to-floor heights
- Urethane rear tires mounted on “no flex” wheels offer superior performance
- Urethane casters for better ride and lighter weight
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Stocked with attendant (standard)



The Invacare IVC 9000 XT Recliner wheelchair is the number one choice for individuals who demand a truly versatile, yet moderately priced lightweight wheelchair. The 9000 XT Recliner can be configured into an endless number of seat widths, depths and heights, and has multiple frame and upholstery options. The recliner has been standardized to interchange components and accessories with the other 9000 series chairs.

Specifications

Seat sizes	
Widths	14", 16", 18", 20", 22"
Depths	16", 17", 18"
Seat-to-floor heights	19.5" 17.5", 18.5" with rear wheel package
Back height	34" recliner (24" high back, 10" removable headrest)
Front riggings	
Hemi swingaway footrest	17"-20" knee-to-heel
Hemi swingaway padded elevating legrest	17.5"-21" knee-to-heel
Hemi articulating elevating legrest	17"-25" knee-to-heel
(Footplates available in aluminum or composite)	

Arm styles	
Full-length fixed height, padded, removable	
Desk-length fixed height, padded, removable	
Full-length adjustable height, padded, removable	
Desk-length adjustable height, padded, removable	
(All arms are conventional)	
Weight capacity	250 lb.
Product weight (9RC/WD86/R/28/2R)	50 lb.
Limited warranty	lifetime on frame and crossbraces

Features

- Dual axle position allows variation of seat-to-floor heights
- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Reinforced frame includes gusseted sides, caster journals and dual crossbraces
- Corded urethane rear tires mounted on "no flex" wheels offer superior performance (350 lb.)
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Upholstery is dual-embossed



The Invacare IVC Tracer IV wheelchair features superior durability, rollability and streamlined looks. It's designed for the active individual who needs the strength of a reinforced heavy-duty frame. Its many options include components interchangeable within the Tracer series. The Tracer IV is long-lasting and low-maintenance.



Heavy-duty package increases weight capacity to 450 lb. and consists of heavy-duty composite wheels with pneumatic tires with flat-free inserts and semi-pneumatic casters.

Specifications

Seat sizes	
Widths	18", 20", 22", 24"
Depth	18" (standard), 20" (by seat extension)
Seat-to-floor height	17.5", 19.5"
Back height	16" fixed
Front riggings	
Swingaway footrest	17"-21" knee-to-heel
Swingaway padded elevating legrest	17.5"-21" knee-to-heel
Articulating elevating legrest	17"-25" knee-to-heel (Footplates available in aluminum and composite)

Arm styles	
	Full-length fixed height, padded, removable
	Desk-length fixed height, padded, removable
	Full-length adjustable height, padded, removable
	Desk-length adjustable height, padded, removable (All arms are conventional)
Weight capacity	350 lb. or 450 lb.
Product weight (T4/WD28/28)	42 lb.
Limited warranty	5 years on frame and crossbraces

Features

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Tall frames are designed to accommodate taller individuals and provide a more comfortable ride
- Multiple frame color variations for customizing
- Triple-axle positions allow wide variation of seat-to-floor heights
- Urethane rear tires mounted on “no flex” wheels offer superior performance
- Urethane casters for better ride and lighter weight
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage



The Invacare IVC 9000 XDT wheelchair is designed for individuals who demand an extra wide, heavy-duty or tall chair with seat-to-floor heights ranging from hemi through tall. The high-performance 9000 XDT provides a 350 lb. weight capacity and components interchangeable with the other 9000 series wheelchairs.

Specifications

Seat sizes	
Widths	16", 17", 18", 19", 20", 22" tall to adult to hemi frame
Depths	16", 17", 18", 19", 20"
Seat-to-floor heights	17.5", 19.5", 21.5"
Back heights - adjustable	15"-19" or 14"-18"
Front riggings	
Hemi swingaway footrest	17"-21" knee-to-heel
Hemi swingaway padded elevating legrest	17.5"-21" knee-to-heel
Super-hemi swingaway footrest	11"-17" knee-to-heel
Super-hemi swingaway padded elevating legrest	11"-17" knee-to-heel
Articulating elevating legrest	17"-25" knee-to-heel
(Footplates available in aluminum or composite)	

Arm styles	
Full-length fixed height, padded, flip back, removable	
Desk-length fixed height, padded, flip back, removable	
Full-length adjustable height, padded, flip back, removable	
Desk-length adjustable height, padded, flip back, removable	
(All arm styles available conventional or space saver)	
Weight capacity	350 lb.
Product weight (9XDT/WD08/28)	37 lb.
Limited warranty	5 years on frame and crossbraces

Invacare® IVC™ 9000XDT Wheelchair

Features

- Available in vinyl or nylon upholstery
- Durable low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Reinforced frame includes gusseted sides, caster journals and dual heavy-duty crossbraces
- Multiple frame color variations available for customizing
- Heavy-duty front riggings provide proper positioning for feet with footrest and elevating legrest
- Heavy-duty arms designed to accommodate weight capacity and provide proper positioning
- Dual axle positions allow for quick and simple seat-to-floor height variations, 17.5" and 19.5"
- HDPG option for 1,000 lb. weight capacity
- Heavy-duty triple inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage



The Invacare IVC 9000 Topaz wheelchair is designed specifically to suit the unique needs of bariatric patients. The Topaz combines the strength and durability of a triple chrome-plated, carbon steel frame with the comfort of heavy-duty front riggings and arms for proper positioning. With a variety of seat widths and depths, frame reinforcements that include gusseted sides, caster journals and dual heavy-duty crossbraces, this chair provides not only ease in maneuverability but stability that will be trusted for years to come.

Specifications

Seat sizes	
Widths	20", 22", 24", 26", 28", 30"
Depths	18", 20"
Seat-to-floor heights	17.5", 19.5" 15.5" with different wheel and caster packages
Back heights - adjustable	16"-18"
Front riggings	
	Swingaway footrest
	Swingaway padded elevating legrest

Arm styles	
	Full-length fixed height, padded, removable
	Desk-length fixed height, padded, removable
	Full-length adjustable height, padded, removable
	Desk-length adjustable height, padded, removable
	(All arm styles available conventional)
Weight capacity	700 lb.
HDPG option	1, 000 lb.
Product weight (9TPZ/WD2818/28)	85 lb.
Limited warranty	3 years on frame and crossbraces

Features

- Steel frame with durable finish
- Multiple width and depth combinations can accommodate almost any consumer
- Gusseted frame option withstands heavy use
- Dual crossbrace option provides extra strength and rigidity
- Shock absorbing forks handle the abuse the front-end may receive



The Invacare IVC 900 series wheelchair is designed to meet the physical needs of the most demanding consumer. A reinforced 900 chair leads the way when it comes to durability and reliability. We have strengthened the 900 in numerous ways, including additional supports, gussets and reinforcements. The 900 redefines the term “custom wheelchair”. Each one is built to the exact specification of the consumer. The chair is available in multiple widths and depths, back styles, seat-to-floor heights, and weight limits up to 350 lb., resulting in a

Specifications

Seat sizes		Arm styles	
Widths	14", 15", 16", 17", 18", 19", 20", 21", 22", 23", 24"	Full-length fixed height, padded, removable	Desk-length fixed height, padded, removable
Depth	13", 14", 15", 16", 17", 18", 19", 20", 21", 22"	Full-length adjustable height, padded, removable	Desk-length adjustable height, padded, removable
Seat-to-floor height	18" hemi, 20" adult 19", 21", 22", 23", 24" by frame modification	(All arms are conventional or space-saver)	
Back height	14"-24" sectional back 14" -24" permanent fixed back height (1" increments)	Weight capacity	250 lb., 275 lb., 300 lb., 350 lb.
		Product weight	dependent on custom configurations
		Limited warranty	5 years on frame and crossbraces

Features

- Steel frame with durable finish
- Multiple width and depth combinations can accommodate almost any user
- Gusseted frame option withstands heavy use
- Dual crossbrace option provides extra strength and rigidity
- Shock absorbing forks handle the abuse the front-end may receive



The Invacare IVC 900 bariatric recliner is custom-made with multiple widths and depths while offering a 350 lb. weight capacity. The 900 recliner, like the IVC 900 wheelchair, leads the way in durability and reliability. Frame gussets and reinforcements allow this chair to meet the special needs of those individuals who need a reclining back wheelchair that accommodates a weight capacity of 350 lb.

Specifications

Seat sizes	
Widths	14", 15", 16", 17", 18", 19", 20", 21", 22", 23", 24"
Depth	13", 14", 15", 16", 17", 18", 19", 20", 21", 22"
Seat-to-floor height	18" hemi, 20" adult 19", 21", 22", 23", 24" by frame modification
Back height	32" reclining 22" high back and 10" removable headrest

Arm styles	
	Full-length fixed height, padded, removable
	Desk-length fixed height, padded, removable
	Full-length adjustable height, padded, removable
	Desk-length adjustable height, padded, removable
	(All arms are conventional)
Weight capacity	350 lb.
Product weight	dependent on custom configuration
Limited warranty	5 years on frame and crossbraces

Features

- Durable, low-maintenance, chrome-plated, carbon steel frame is long-lasting
- Stroller handles provide ergonomic positioning for caregiver and remove for ease in transporting
- Adjustable front riggings provide ideal positioning for pediatric clients
- Urethane rear tires mounted on “no flex” wheels offer superior performance
- Virtually no-maintenance, dual-sealed precision bearings
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Dual-axle positions allow for quick and simple seat-to-floor height adjustments of 15” and 16”
- Seat width and depth options provide proper positioning
- Adjustable angle back easily changes from -5° to 20° in 5° increments
- Meets RESNA standards for manual wheelchairs in product performance



The Invacare IVC 9000 Jymni wheelchair offers your growing list of pediatric clients versatility, functionality and maneuverability. These chairs are specifically designed to suit the needs of your smaller clients and promote many outstanding features.

Specifications

Seat sizes	
Widths	10", 12", 14", 16"
Depths	10", 12", 14"
Seat-to-floor heights	15", 16" 17" with different wheel and caster packages
Back heights - adjustable	14"-15"
Front riggings	
70° swingaway footrest	7"-11" knee-to-heel
80° swingaway footrest	11"-15" knee-to-heel
90° swingaway footrest	5"-10" knee-to-heel
Elevating legrest	7"-14" or 11"-15" knee-to-heel

Arm styles	
Full-length fixed height, padded, flip back, removable	
Desk-length fixed height, padded, flip back, removable	
Full-length adjustable height, padded, flip back, removable	
Desk-length adjustable height, padded, flip back, removable	
(All arm styles available conventional or space saver)	
Weight capacity	125 lb.
Product weight (9JYLT/WD22/88JY)	31 lb.
Limited warranty	5 years on frame and crossbraces

Features

- Durable, low-maintenance, chrome-plated, carbon steel frame is long-lasting
- Dynamic recline from 95° to 160°
- Stroller handles provide ergonomic positioning for caregiver and remove for ease in transporting
- Adjustable front riggings provide ideal positioning for pediatric clients
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Seat width and depth options provide proper positioning
- Meets RESNA standards for manual wheelchairs in product performance



The Invacare IVC 9000 Jymni Recliner wheelchair offers your growing list of pediatric clients versatility, functionality and maneuverability. These chairs are specifically designed to suit the needs of your smaller clients and provide many outstanding features.



9000 Jymni Recliner allows for a dynamic recline range of 95° to 160°. Multiple frame color variations for customizing.

Specifications

Seat sizes	
Widths	10", 12", 14", 16"
Depths	10", 12", 14"
Seat-to-floor heights	15", 16" 17" with different wheel and caster packages
Back heights	27" reclining 16" high back and 11" removable headrest
Front riggings	
70° swingaway footrest	7"-11" knee-to-heel
80° swingaway footrest	11"-15" knee-to-heel
90° swingaway footrest	5"-10" knee-to-heel
Elevating legrest	7"-14" or 11"-15" knee-to-heel

Arm styles	
Full-length fixed height, padded, flip back, removable	
Desk-length fixed height, padded, flip back, removable	
Full-length adjustable height, padded, flip back, removable	
Desk-length adjustable height, padded, flip back, removable	
(All arm styles available conventional)	
Weight capacity	125 lb.
Product weight (9JYLT/WD42/28JY/R)	40 lb.
Limited warranty	5 years on frame and crossbraces



The Invacare IVC CLD (Cyclical Lever Drive) was designed for individuals to self-propel themselves with one arm. The opportunity to be more active and mobile, which allows individuals to enjoy their independence – and the use of the CLD, supports this. With its front-caster steering mechanism, simple rowing motion design and adjustability in height and stroke length, Invacare’s CLD is the answer to an easy-to-operate one-arm drive.

Designed for ease of use and durability, these folding ramps offer an economical alternative to the motorized lift. They’re ideal for both manual and power wheelchairs, as well as 3- or 4-wheel scooters.

Plus, they’re extremely lightweight for effortless transport. Clearly, these ramps are a cost-effective way to add to your Total

There are no service requirements for the CLD, although service requirements for the wheelchair apply. Kits

Specifications



Specifications

Mechanism weight	9.1 lb.
Added width to chair	1.5"
Stroke length	15"-16"
Grip height adjustment	15"-18"
Mechanism color	black/chrome
Installation	right- or left-hand
Weight limit	250 lb.
Limited warranty	2 years*

Dimensions	Model no. ICR630	Model no. ICR330
Size	6' l x 30" w	3' l x 30" w
Style	multifold	single fold
Folded size	40.625" l x 16" w x 8.5" d	36" l x 16" w x 4" d
Product weight	28 lb.	14 lb.
Weight capacity	600 lb.	600 lb.
Limited warranty	1 year	1 year

*Ramps are manufactured by Prairie-View Industries and distributed by Invacare Corporation.

Wheel lock position.

*Invacare warrants all Cyclical Lever Drive mechanisms to be free from defects of materials and workmanship for a period of two years from date of purchase. See warranty for additional details.

Features



Wheel braking position.



Easy to disengage.

- Sturdy and dependable 600 lb. weight capacity
- Ideal for manual or power wheelchairs and 3- or 4-wheel scooters
- Convenient carrying handle is standard on all ramps
- Heavy-duty industrial Velcro® strap ensures ramp security during transportation
- Transports and stores like a suitcase
- High-traction tape on the surface is long-lasting and maintenance-free
- Stocked in Invacare’s



Unique folding design makes ramps easy to carry.



Front Rigging Non-removable Device
1820



Non-folding Device
1335 (14"-22" w)



Axles
1. 1577QR – Quick Release
2. 9357SH – Super Low Amputee Attachment
3. 9357L – Amputee Attachment
4. OFFAXL – Off axle



Overhead Anti-Theft Device
1514



Accessories
1. 1300 – Utility Tray
2. 1209 – Tire Pump
3. 1305L – Crutch & Cane Carrier
4. 1100 – Tool Kit
5. 1571 – Fabric Clothing Protectors



Seat/Chest Positioning Straps
1. 1321BK/7321BK – Hook and Loop
2. 1515 – Auto Style Buckle
3. 1311BK/7311BK – Airline Buckle



Anti-Tippers
1. 9758 – Rear Anti-Tippers
2. 1360SH – Super Low Adjustable
3. 1360A – Adjustable Rear Anti-Tippers
4. 1360 – Adjustable Rear Anti-Tippers
5. 2226 – Front Anti-Tippers



IV/O₂ Holders
1. 1497 – O₂ Holder Package Assembly
2. 1496 – IV/O₂ Holder Package Assembly
3. 2218 – IV Rod, Telescopic
4. 2219 – IV Rod, Telescopic
1322SXR – IV Rod and Bracket



Upholstery
1. ImpactG – Impact Guards
2. STC – Stencil Back Upholstery
3. SP-01 – Seat Pouch
4. BP-02 – Backpack – (shown in Large 16" and Small 14"-16")



Upholstery
1. 9130 – Solid Back Insert
2. 9662L – Solid Seat Insert
3. 9120 – Solid Seat Insert
4. 1608 – Solid Back Insert



Tires
1. Urethane
2. Urethane - High Profile
3. Pneumatic - Flat-Free
All tires available in 20", 22" and 24" sizes. Available on all chairs.



Handrims
1. CHDRM – Chrome-Plated
2. COM – Composite
3. AHDRM – Aluminum
4. 1512 – Plastic Coated
5. 1225-8 – 8 Aluminum Vertical Projection Handrim Plastic Coated
6. 1225-12 – 12 Aluminum Vertical Projection Handrim Plastic Coated
7. 1224-8 – 8 Aluminum Oblique



9000 Topaz Arms

1. T18 – Full-Length Fixed Height
2. T19 – Full-Length Adjustable Height
3. T28 – Desk-Length Fixed Height
4. T29 – Desk-Length Adjustable Height

Available on 9000 Topaz.



Lightweight Space Saver Arms

1. 79 – Full-Length Adjustable Height
2. 78 – Full-Length Fixed Height
3. 89 – Desk-Length Adjustable Height
4. 88 – Desk-Length Fixed Height



Conventional Arms

1. 18 – Full-Length Fixed Height
2. 28 – Desk-Length Fixed Height
3. 19 – Full-Length Adjustable Height
4. 29 – Desk-Length Adjustable Height



Casters

1. 1292 – 8" x 1.25" Pneumatic
2. AT903 – 8" x 1.25" Composite Urethane
3. 1255 – 8" x 1" Solid Rubber
4. AT902 – 6" Composite Urethane, 3 Spoke
5. 1252 – 8" x 1.25" Pneumatic
6. 1228 – 8" x 2" Semi-Pneumatic
7. 1687 – 6" x 1" Dark grey comp. Urethane
8. 1259 – 6" x 2" Semi-Pneumatic
9. 1290 – 8" x 1" Solid Rubber, Charcoal
10. 4252 – 8" x 1.25" Pneumatic with flat-fee inserts
11. 1492 – 8" x 1.25" Pneumatic with flat-fee inserts



Wheel Locks

1. 9697R – Pull to Lock Hill Holder
 2. 9695 – Hill Holder
 3. A1567 – Pull to Lock Clamp-on
 4. 1721 – High Push to Lock Clamp
 5. 1329BK – Toggle Wheel Lock Extension Wheel Locks
- 9690 – Pull to Lock – 9000 XDT (not shown)



9000 Topaz Front Rigging

1. TZ33A – Swingaway footrest
2. TZ34A – Swingaway elevating legrest



Footrests

1. T963A/C – 60° Elevating Footrest Aluminum/Composite
2. T93HA/C/S – Aluminum/Composite



Footrests

1. SH93F – Superlow Extension Swingaway, Aluminum
2. H93M – Hemi Minimum Swingaway, Aluminum
3. H93E – Hemi Extension Swingaway, Aluminum
4. SH93ES – Super Low Extension Swingaway, Aluminum



Legrests

1. AHS4A – Hemi Smartleg® Articulating Legrest, Aluminum
2. T94HA/C – Hemi Elevating Legrest Aluminum/Composite
3. SH904MS – Superlow Elevating Legrest, Aluminum
4. AHL4A/C – Hemi Articulating Legrest, Aluminum/Composite



Footplates

1. 1350 – Extra Large Aluminum
2. AT5543 – Adjustable Angle
3. C – Composite
4. A – Aluminum



Straps

1. 1346 – Heel Loops
2. 1345 – Toe Loops
3. 1600 BK – Heel Loops with Ankle Straps
4. 1348 – Legrest Panel
5. 1337 – Calf Strap
6. 9342 – H Strap



IVC™ MANUAL			IVC™ LIGHTWEIGHT					
Tracer® EX2 Recliner	Transport	Transport	Transport	Tracer® SX5	Tracer® SX5 Recliner	9000 SL	9000 XT	9000 XT

	HCPC Code	Widths	Depths	Overall Widths
	K0002			(Perm. 25.5", 27.25" (FF) 24.75")
Tracer® EX2	K0001	16", 18", 20"	16"	24.5", 26.5", 28.5"
Transport	n/a	16", 18"	16"	20.5"
Transport Heavy Duty	n/a	22"	18"	28"
Transport Aluminum	n/a	19"	17"	23.5"
Tracer® SX5	K0003, K0006 ¹	14", 16", 18", 20", 22"	16"	seat width plus 8.5"
Tracer® SX5 Recliner	K0003 & K0028 K0006 & K0028	14", 16", 18", 20", 22"	16"	seat width plus 8.5"
9000 SL	K0004	16", 18", 20"	16", 18" ²	seat width plus 7.5"
9000 XT	K0004	14", 20", 22" 1" increments	16", 17" ² , 18" ²	seat width plus 7.25"
9000 XT Recliner	K0004 & K0028	14", 16", 18", 19", 20", 22"	16", 17" ² , 18" ²	seat width plus 7.5"
Tracer® IV	K0007	18", 20", 22", 24"	18", 20" ²	seat width plus 8.25"
9000 XDT	K0007	16"-20", 22" 1" increments	16"-20" 1" increments	seat width plus 7.5"
9000 Topaz™	K0007	20", 22", 24", 26", 28", 30"	18", 20"	seat width plus 7.5"
900	K0001 & K0006	14"-24" 1" increments	13"-22" 1" increments	seat width plus 7.5"
900 Recliner	K0001 & K0028 K0006 & K0028	14"-24" 1" increments	13"-22" 1" increments	seat width plus 7.5"
9000 Jymni™	E1236	10", 12", 14", 16"	10", 12", 14"	seat width plus 7.5"
9000 Jymni™ Recliner	E1236 & K0028	10", 12", 14", 16"	10", 12", 14"	seat width plus 7.5"

(1.) 20" and 22" only. (2.) By seat extension. (3.) Available with different wheel and caster packages. (4.) By frame modification. (5.) 300 lb weight capacity on 20" and 22" widths.



Tracer® IV 9000 XDT 9000 Topaz™ 900 900 Recliner 9000 Jymni™ 9000 Jymni™

Overall Depths	Seat-to-floor height	Overall weight	Weight capacity
32"	17.5", 19.5"	36 lb.	250 lb.
22.5"	19.5"	27 lb.	250 lb.
36.5"	19.5"	41 lb.	400 lb.
24.25"	19.25"	19 lb.	250 lb.
32"	17.5", 19.5"	34 lb.	250 lb.
32"			300 lb. ⁵
53.5" in recline	17.5", 19.5"	51 lb.	250 lb.
30"	17.5", 19.5"		300 lb. ⁵
30"	15.5" ³ , 16.5" ³ , 18.5" ³	33 lb.	250 lb.
30"	17.5", 18.5", 19.5"		
30"	15.5", 16.5"	31 lb.	250 lb.
36"			
53.5" in recline	17.5" ³ , 18.5" ³ , 19.5"	50 lb.	250 lb.
33.5"	17.5", 19.5"	42 lb.	350 lb.
			450 lb. ³
30"	17.5", 19.5", 21.5" ⁴	36 lb.	350 lb.
	15.5" ³ ,		700 lb.
35"	17.5", 19.5"	82 lb.	1000 lb. HDPG
	18" hemi, 20" adult	differs per	250 lb./275 lb.
32"	(19", 21", 22", 23", 24") ⁴	configuration	300 lb./350 lb.
	18" hemi, 20" adult	differs per	
32"	(19", 21", 22", 23", 24") ⁴	configuration	350 lb.
27.5"	15", 16", 17" ³	31 lb.	125 lb.
27.5"	15", 16", 17" ³	40 lb.	125 lb.




Yes, you can.®


Upholstery



U60 -
Marina blue




U86 -
Ruby vinyl



U245 -
Black sailcloth



U67 -
Black vinyl




U88 -
Camel vinyl




U75 -
Dove gray vinyl



U550 -
Midnight blue
vinyl



U85 -
Dark blue vinyl



U240 -
Black nylon


Frame




08P -
Deep purple




24P -
Wet black



62P -
Electric blue




84P -
Lavender



15P -
Chrome




30P -
Sunny yellow



66P -
Electric purple




88P -
Black
w/twilight



17P -
Cobalt blue



33P -
Red



71P -
Silver vein




104P -
Electric teal



22P -
Anthracite



61P -
Electric red



83P -
Royal blue
w/grape



105P -
Midnight blue

Invacare Corporation
www.invacare.com

USA
One Invacare Way
Elyria, Ohio
44035-4190
(800) 333-6900

Canada
570 Matheson Blvd. E.
Unit 8
Mississauga, Ontario
L4Z 4G4 Canada
(800) 668-5324

Invacare, the Blue Medallion design, Yes, you can. Smartleg and Tracer are registered trademarks and the Bariatric Solutions Design, IVC, Topaz and Jymni are trademarks of Invacare Corporation. Total One Stop Shopping is a service mark of Invacare Corporation. Ramps are manufactured by Prairie View Industries and distributed by Invacare Corporation. Velcro is a registered trademark of Velcro Industries B.V. Textilene is a registered trademark of Ludlow Corporation. Specifications are subject



"Invacare says 'Yes, you can.' and I couldn't have said it better myself."

© 2006
Invacare Corporation
Form No. 00-261
Rev. 04/06